

23825 Stuart Ranch Road · Malibu, California · 90265-4861 Phone (310) 456-2489 · Fax (310) 456-3356 · www.malibucity.org

PLANNING DEPARTMENT - UNIFORM APPLICATION

The City of Malibu will not accept incomplete applications.

GENERAL INFORMATION						
PROJECT ADDRESS: Zuma Lagoon (30050 PCH, Malibu, CA 90265) and Po	oint Dume Beach (7100, 715	50, and 7180 Westward Beach Rd., Malibu, CA 90265)				
PROPERTY OWNER: County of Los Angeles Department of Beaches and Harbors						
OWNER ADDRESS:13837 Fiji Way, Marina del Rey						
CITY: Los Angeles	STATE: CA	ZIP: 90292				
OWNER PHONE #: _(424)526-7745						
OWNER EMAIL: mtripp@bh.lacounty.gov						
*OWNER EMAIL REQUIRED						
APPLICANT / CONTACT: First: Karina	Last: Johnstor	1				
APPLICANT ADDRESS: 8334 Lincoln Blvd #310						
CITY: Los Angeles	STATE: CA	ZIP:90045				
APPLICANT PHONE #: (310) 216-9824						
APPLICANT EMAIL: kjohnston@santamonicabay.org						
TENANT: (Commercial only) Not applicable						
TENANT / CONTACT: First:	Last:					
TENANT ADDRESS:	Unit #:					
CITY:	STATE:	ZIP:				
TENANT PHONE #:						
TENANT EMAIL:						
Is the subject property located within a homeowner	rs/property owne	ers association?				
Yes □ No ☑ If yes, please list: Not applicable	e					
PROJECT DESCRIPTION						
The Malibu Living Shoreline Project aims to increase the resiliency of the shore	reline through the restorat	ion of 3-acres of sandy beach and dune habitat at				
Zuma Beach and Point Dume Beach. This project is designed to incorporate "	soft-scape" protection me	asure against sea level rise and coastal storms				
and increase engagement of the community through enhanced beach experie	nce, outreach, and educat	ion.				
CODE ENFORCEMENT						
If this application pertains to a Code Enforcement case, the City of Malibu Code Enforcement Officer must sign this application prior to submittal.						
Code Enforcement Officer Comments:						
Code Enforcement Officer Signature:	Date:	Fees:				

Planning Fees		City Specialists	Fees	
☐ Archaeology Review (Phase)		☐ Biology		
_		\$		
Over the Counter		☑ Coastal Engine	ering NO REVIEW	100
☐ Level1 ☐ Level II		\$	PEXMIPED	My
		☐ Doc Ret Fee \$2	25.00	
Solar Panels	12.	□ Geology		
☐ Roof ☐ Ground	(\$	_	
	a 2	☐ Doc Ret Fee \$2	25.00	
☐ Primary View Determination	18	D Fortistania ital	l la alda	
		□ Environmental	Health	
☐ Sign Permit		\$ Doc Ret Fee \$2	 25.00	-
☐ Indv. ☐ Temp ☐ Master	\ 	Public Works	20.00	-
		C S O S	2000 VIVI2020	
		- 	V	·
INDEMNIFICATION CLAUSE The property owners, and their successor and agents from and against all liability and any award of litigation expenses in favor of decisions in connection with this project.	d costs relating to the City f any person or entity wh The City shall have th	y's actions concerning no seeks to challenge to e sole right to choose	this project, including (wit the validity of any of the C e its counsel and property	hout limitation) lity's actions or y owners shall
INDEMNIFICATION CLAUSE The property owners, and their successor and agents from and against all liability and any award of litigation expenses in favor decisions in connection with this project, elimburse the City's expenses incurred in	d costs relating to the City f any person or entity wh The City shall have th its defense of any lawsu	y's actions concerning no seeks to challenge e sole right to choose it challenging the City	this project, including (with the validity of any of the Ce its counsel and property actions concerning this	hout limitation) lity's actions or y owners shall
INDEMNIFICATION CLAUSE The property owners, and their successor and agents from and against all liability and any award of litigation expenses in favor decisions in connection with this project, elimburse the City's expenses incurred in	d costs relating to the City f any person or entity wh The City shall have th	y's actions concerning no seeks to challenge e sole right to choose it challenging the City	this project, including (wit the validity of any of the C e its counsel and property	hout limitation) lity's actions or y owners shall
INDEMNIFICATION CLAUSE The property owners, and their successor and agents from and against all liability and any award of litigation expenses in favor of decisions in connection with this project, reimburse the City's expenses incurred in PROPERTY OWNER SIGNATURE APPLICANT/CONTRACTOR CE	d costs relating to the City fany person or entity when The City shall have the its defense of any lawsun PROPERTY OWNER	y's actions concerning to seeks to challenge e sole right to choose it challenging the City R NAME (PRINT)	this project, including (with the validity of any of the Ce its counsel and property actions concerning this DATE	hout limitation) ity's actions or y owners shall proiect.
INDEMNIFICATION CLAUSE The property owners, and their successor and agents from and against all liability and any award of litigation expenses in favor of decisions in connection with this project. The impurse the City's expenses incurred in the PROPERTY OWNER SIGNATURE APPLICANT/CONTRACTOR CITY (Certify that I am presently the legal owner and certify that all of the information on the information must accompany this form). The property owner is expiration date of this permit, that it is my	d costs relating to the City of any person or entity where the City shall have the its defense of any lawsure PROPERTY OWNER PROPERTY OWNER of the above-described the application is true and oject. (If the undersign A licensed contractor is a contractor is a contractor of the acknowledge that the contractor of the acknowledge that the contractor of the acknowledge that the contractor is a contractor of the acknowledge that the contractor is a contractor of the acknowledge that the contractor is a contractor of the contractor of	y's actions concerning to seeks to challenge to seeks to challenge to sole right to choose it challenging the City R NAME (PRINT) I property. Further, I and correct. I grant permed is different from the authorized to submit are city strongly encounted.	this project, including (with the validity of any of the Ce its counsel and property's actions concerning this DATE acknowledge the filing of the mission to the City to conce legal property owner, to over-the-counter applications are to immediately	hout limitation) ity's actions or y owners shall project. this application duct site visits hen a letter of tion and obtain y calendar the
INDEMNIFICATION CLAUSE The property owners, and their successor and agents from and against all liability and any award of litigation expenses in favor of decisions in connection with this project. The reimburse the City's expenses incurred in the PROPERTY OWNER SIGNATURE APPLICANT/CONTRACTOR CITY (Certify that I am presently the legal owners and certify that all of the information on the necessary to investigate the proposed project of the property owners are permits on behalf of the property owners appreciation date of this permit, that it is my appermit has expired.	d costs relating to the City of any person or entity where the City shall have the its defense of any lawsure PROPERTY OWNER PROPERTY OWNER of the above-described the application is true and oject. (If the undersign A licensed contractor is a contractor is a contractor of the acknowledge that the contractor of the acknowledge that the contractor of the acknowledge that the contractor is a contractor of the acknowledge that the contractor is a contractor of the acknowledge that the contractor is a contractor of the contractor of	y's actions concerning to seeks to challenge to seeks to challenge to sole right to choose it challenging the City R NAME (PRINT) I property. Further, I and correct. I grant perfect is different from the authorized to submit are city strongly encounts status and that the	this project, including (with the validity of any of the Ce its counsel and property's actions concerning this DATE acknowledge the filing of the mission to the City to conce legal property owner, to over-the-counter applications are to immediately	hout limitation) ity's actions or y owners shall project. this application duct site visits hen a letter of tion and obtain y calendar the
INDEMNIFICATION CLAUSE The property owners, and their successor and agents from and against all liability and any award of litigation expenses in favor of decisions in connection with this project, reimburse the City's expenses incurred in PROPERTY OWNER SIGNATURE APPLICANT/CONTRACTOR CI	d costs relating to the City fany person or entity where The City shall have the its defense of any lawsure PROPERTY OWNER PRO	y's actions concerning to seeks to challenge to seeks to challenge to sole right to choose it challenging the City R NAME (PRINT) I property. Further, I and correct. I grant perfect is different from the authorized to submit are city strongly encounts status and that the	this project, including (with the validity of any of the Ce its counsel and property actions concerning this DATE acknowledge the filing of the mission to the City to conce legal property owner, to over-the-counter applicating many many to immediatel City has no ability to prove	hout limitation) ity's actions or y owners shall project. this application duct site visits hen a letter of tion and obtain y calendar the
INDEMNIFICATION CLAUSE The property owners, and their successor and agents from and against all liability and any award of litigation expenses in favor of decisions in connection with this project, eimburse the City's expenses incurred in PROPERTY OWNER SIGNATURE APPLICANT/CONTRACTOR Clauser of the certify that I am presently the legal owner and certify that all of the information on the decessary to investigate the proposed plauthorization must accompany this form), permits on behalf of the property owner, as permit has expired.	d costs relating to the City of any person or entity where the City shall have the its defense of any lawsure. PROPERTY OWNERS of the above-described the application is true and application is application is application in true and application in true and application is application in true and a	y's actions concerning to seeks to challenge to seeks to challenge to sole right to choose it challenging the City R NAME (PRINT) I property. Further, I and correct. I grant perred is different from the authorized to submit are City strongly encounts status and that the R NAME (PRINT)	this project, including (with the validity of any of the Ce its counsel and property actions concerning this DATE acknowledge the filing of the mission to the City to cone legal property owner, to over-the-counter applications are to immediatel City has no ability to prove	hout limitation) ity's actions or y owners shall project. this application duct site visits hen a letter of tion and obtain y calendar the



23825 Stuart Ranch Road · Malibu, California · 90265-4861 Phone (310) 456-2489 · Fax (310) 456-7650 · www.malibucity.org

> of to

LETTER OF AUTHORIZATION TO SUBMIT A PROJECT

The Bay Foundation (print nam	e) is authorized by me/us, as the owner(s) of
the property located at Zuma Beach and Poil	nt Dume Beach, to submit an application to inning Department and to act on my/our behalf
Dated:	Property Owner Signature
	Property Owner Name
Dated:	Property Owner Signature
	Property Owner Name
This form must be notarized if not	witnessed by City of Malibu staff.
Witnessed by:	
Dated:	Witness Signature (Staff)
	Print Name



23825 Stuart Ranch Road \cdot Malibu, California \cdot 90265-4861 Phone (310) 456-2489 \cdot Fax (310) 456-7650 \cdot www.malibucity.org

DECLARATION REGARDING PREVIOUSLY ISSUED COASTAL DEVELOPMENT PERMITS

PROJECT ADDRESS: Zuma Lagoon (30050 PCH, Malibu, CA 90265) and Point Dume Beach (7100, 7150, and 7180 Westward Beach Rd., Malibu, CA 90265)				
I declare that I/we am/are the owner(s) of the above-referenced property. ☐ To my knowledge, no Coastal Development Permits have been previously issued for this property. I have contacted the California Coastal Commission and was told that they have no record of a Coastal Development Permit having previously been issued for this property.				
A Coastal Development Permit was prepreviously issued permits are attached CDP No. 04-01-227 and				
Dated:				
	Property Owner Signature			
Property Owner Name				
Dated: Property Owner Signature				
	Property Owner Name			

California Coastal Commission (Ventura Office): (805) 585-1800



Coastal Development Permit Submittal Checklist

NOTE To submit a new application with the City of Malibu Planning Department, all required items as specified by City Staff on the Submittal Checklist, including application fees and those materials required by City Departments, must be provided at the time of submittal. **Incomplete application submittals WILL NOT be accepted.** An appointment is required for submittals. For an appointment, call 310-456-2489, ext. 485, or email mplanning@malibucity.org. See the New Application Submittal Guide for more information. For more information, visit the Planning Department website.

Staff Only - General Project Information				
Date 10/24/2019				
Address / Location: Zuma Lagoon (30050 PCH, Malibu, CA 90265) and Point Dume Beach (7100, 7150, and 7180 Westward Beach Rd., Malibu, CA 90265)				
Project Description: This project aims to restore approximately 3 acres of sandy coastal habitats located on the county				
beaches of Zuma and Point Dume in Malibu, California. This project will utilize existing sediments, install strategic sand fencing,				
remove invaisve vegetation, and seed with native coastal strand and foredune vegetation.				
Fees: CDP Level: SPR \$ MM \$				
□ VAR \$ □ Other \$ □ Other \$				
*The City will charge a service fee for credit card transactions.				
Woolsey Fire Fee Waiver: Project Eligible Project Ineligible (all fees apply)				
Requires the following discretionary requests:				

A **complete submittal** shall consist of the following City / County Department reviews, submittal documents, and fees:

Departments	Planning Review Building Plan Check		Date	Submitted		
	Req'd	Not Req'd	Req'd	Not Req'd		
Planning	✓	-	✓	-		
Archaeological Survey If needed, submit as separate application. Guide		X		NA		
City Biologist	\boxtimes					
City Environmental Health		X				
City Public Works Department	X					
City Geotechnical Staff Review		X				
City Coastal Engineer Review		X				
Code Enforcement Review		X				
Los Angeles County Fire Department		X				

Standard Requirements

Item #	Description	Required	Submitted
1	Submittal Checklist	✓	
2	Uniform Application	✓	
3	Proof of Ownership	✓	
4	Letter of Authorization	✓	
5	Declaration Regarding Previously Issued Coastal Development Permits & Deed Restrictions	✓	
6	Grading Yardage Verification Certificate OR Letter stating none proposed	✓	
7	Application Fees	✓	
8	CD or Thumbdrive of All Documents	✓	
9	Hardcopy Sets of Plans See Project Plan Requirements	✓	

Digital Submittal

- A CD or thumbdrive, which will not be returned, of all submittal materials is required with the exception of the Uniform Application and Submittal Checklist. All documents should be saved as an Adobe PDF.
 -Each document shall be saved as a separate PDF. All documents should be numbered in the corresponding order of the submittal checklist, preferably titled with the same subject matter. For example:
 - 3. Proof of Ownership
 - 4. Letter of Authorization
 - 5. Declaration Regarding previously issued CDPS & Deed Restrictions
 - 5a. Coastal Commission Permit_1992
 - 5b. Coastal Commission Permit_1996
 - 6. Grading Yardage Verification
 - -Plans shall be grouped and named by discipline (e.g. architectural, grading, civil, etc.).

Item #	Description	Required	Submitted
10	Written Statement(s) Justifying EACH Discretionary Request		

Biological / Landscape Requirements

Item #	Description	Required	Submitted
11	Landscape Plan, Hardscape, Fence Plan OR letter stating none proposed	✓	
12	Landscape Water Conservation Ordinance Documentation Package		
	a. Cover Sheet	-	
	b. Water Budget Calculation Worksheet	-	
	c. Landscape Design Plan	-	
	d. Soil Report	-	
	e. Irrigation Design Plan	-	

Outdoor Lighting Submittal Requirements

Item #	Description	Required	Submitted
13	Outdoor Lighting Plan OR letter stating none proposed	✓	
14	Outdoor Lighting Plan shall include:		
	a. Site Plan depicting the location of existing (e) and proposed (n) outdoor light fixtures	-	
	b. Manufacturer Specifications/Fixture Exhibit including details regarding the lumen counts and Kelvin for each fixture	-	
_	d. A photometric plan	-	

Beachfront Lots Submittal Requirements

Item #	Description	Required	Submitted
15	Public Beach Access Locations/Information		
16	CA State Lands Commission Determination Letter		

Project Plan Requirements

Item #	Description	Required	Submitted
17	Project Plans		
	a. Cover Sheet		
	b. Site Survey		
	c. Site Plan		
	d. Architectural Plans		
	e. Demolition Plan		
	f. Preliminary Foundation Plan		
18	Grading, Drainage, Erosion and Storm Water Management Plan <u>OR</u> Letter Stating None Propose		
19	Color-coded Slope Analysis		
20	Landscape Plan (see Item #11)	NA	NA
21	Irrigation Plans (see Item #12)	NA	NA

Plan Size and Quantities - In addition to a digital version, the following shall be submitted:

- Two (2) 24" x 36" size hardcopy sets dimensioned to ½" = 1' or ½" = 1' scale and collated stapled and folded
- One additional set of plans per review from each department
- Coded Slope Analysis One (1) original 24" x 36" color copy
- Landscape plan Three (3) 24" x 36" size hardcopy sets dimensioned to ¼" = 1' or ½" = 1' scale and collated stapled and folded. (2 for City Biologist / 1 for Planning Staff)
- Irrigation Design Plan Three (3) 24" x 36" size hardcopy sets dimensioned to ½" = 1' or ½" = 1' scale and collated stapled and folded. (2 for City Biologist / 1 for Planning Staff)
- Requirements for each type of plan is provided for in the Submittal Document Guide.

Other Requirements

Item #	Description	Required Upon Submittal	Required Prior to Deeming Complete	Submitted
22	Will Serve Letter			
23	Visual Analysis			
24	Major Remodel Agreement			
25	Structural Plans			
26	Story Pole Plans & Certification			
27	Title Report			
28	Feasible Alternatives Report			
29	Notice of Coastal Development Permit Posting Affidavit	-	✓	-
30	Property Owner / Occupant Mailing Data & Radius Map	-	✓	
31	Plan Sets for Hearing	-	✓	-

Land Division

Item #	Description	Required	Submitted
32	Land Division - Set of Plans		
	a. Site Survey		
	b. Site Plan		
	c. Tentative Parcel / Tract Map		
	d. Color-Coded Slope Analysis		
33	Documents Relating to Legality of the Lots		
	a. Assessor's Map		
	b. Deed History		
	c. Legal Description		
	d. Plat Map		
	e. Title Report (see Item #25)		

Additional Documents

Item #	Description	Required	Submitted
34	Rebuild Option Acknowledgement Form (in lieu of a Planning Verification)		

City Department Requirements

If a Department is marked as "Required" on page 1 of this form, please obtain fees and comments from each Department in the designated boxes below.

City Biologist Review



City Public Works Department Review

Review required / No fee Review required / Fee required		
□Public Works Review hours x 216.00 = \$,	
□Traffic Review hours x 216.00 = \$		
□ Land Division hours x 216.00 = \$		
Comments:		
Required Documents:		
Public Works Project Plans and Report Requirement		

+City Department Requirements

Environmental Health Submittal Requirements

If a Department is marked as "Required" on page 1 of this form, please obtain fees and comments from each Department in the designated boxes below.

OWTS* Complex Commercial \$6,847 OWTS* Complex 3 rd Party Review \$4000 (710 Account) □ Operating Permit Fee:	Review required / No fee	□ Review required / Fee required	red □ No Review Required
OWTS* Complex Commercial \$6,847 OWTS* Complex 3 rd Party Review \$4000 (710 Account) □ Operating Permit Fee:	No Review required: Defe	er to Building Plan Check	TOTAL:
□ Hourly fee hours x \$202.00 = \$ Document Retention Fees □ \$25 and/or □	 OWTS* Complex Commer 	rcial \$6,847	• • •
*Onsite Wastewater Treatment System (OWTS)	· —		Retention Fees □ \$25 and/or □ \$6

Item #	Description	Required Upon Submittal	Required Upon Deeming Complete	Submitted
EH.1	Project Plans (see Project Plans under Project Plan Requirements)			
EH.2	Grading Plans (see Grading, Drainage, Erosion and Storm Water Management Plan under Project Plan Requirements)			
EH.3	Landscape/Hardscape/Irrigation Plans (see Landscape Plan and Landscape Water Conservation Ordinance Document Package under Biological / Landscape Requirements)			
EH.4	Certified/Original Fixture Unit Worksheet			
EH.5	OWTS Plot Plan			
EH.6	Prohibition Policy Acknowledgment Form			
EH.7	OWTS Inspection Report			
EH.8	Operating Permit Required			
EH.9	Compliance Agreement			
EH.10	OWTS Design Report			
EH.11	Soils Analysis / Percolation / Infiltration Report			
EH.12	OWTS Supporting Geology / Soils Report			
EH.13	Architect/Engineer Certification for Reduction In Setbacks to Buildings or Structures			
EH.14	Geotechnical Report			
EH.15	Hydrogeological Report (Water Wells)			
EH.16	Coastal Engineer Report (Beachfront Property Only)			

Geotech	nical Staff Review (for staff use only)		Initials:Da	te:				
□ Review required / No fee □ Review required / Fee required TOTAL:								
Fees □ Level: \$ □ Document Retention \$25 Time & Materials + 30% = \$ □								
Comments:								
Required Documents:								
	Report Submittal Requirements	Danisha d	Danisha d	Cook waith a d				
item #	Description	Required Upon Submittal	Required Upon Deeming Complete	Submitted				
GEO.1	Project Plans (see item #16 under Project Plan Requirement)							
GEO.2	Grading Plans (see items #17,#18 under Project Plan Requirements)							
GEO.3	Landscape/Hardscape/Irrigation Plans (items #19,#20 under Project Plan Requirement)							
GEO.4	OWTS Plot Plan							
GEO.5	OWTS Design Report							
GEO.6	Soils Analysis / Percolation / Infiltration Report							
GEO.7	OWTS Supporting Geology / Soils Report							
GEO.8	Architect/Engineer Certification for Reduction In Setbacks to Buildings or Structures							
GEO.9	Geotechnical Report							
GEO.10	Hydrogeological Report (Water Wells)							
GEO.11	Other items:							

	eview required / No fee Revi	ew required / Fee requi	red TOTAL:	
	·			
	Reports required (2 copies, wet-stamped with and Electronic Signature Page)	tn wet-signature by a reg	istered coastai / civii en	gineer, and
	Complex \$3,236 □ Standard \$1,618 □ Mir Document Retention \$25	nor \$750 □ Hourly fee _	hours x \$232 =\$	_
Cor	mments:			
Re	quired Documents:			
Coa	astal Engineering Report Submittal Require	<u>ements</u>		
Item #	Description	Required Upon Submittal	Required Upon Deeming Complete	Submitted
CO.1	Project Plans (see item #16 under Project Plan Requirement)			
CO.2	Grading Plans (see items #17,#18 under Project Plan Requirements)			
CO.3	Landscape/Hardscape/Irrigation Plans (items #19,#20 under Project Plan Requirement)			
CO.4	Coastal Engineer Report (Beachfront Property Only)			
CO.5	Geotechnical Report			
CO.6	OWTS Plot Plan			
CO.7	OWTS Design Report			
CO.8	Soils Analysis / Percolation / Infiltration Report			
CO.9	OWTS Supporting Geology / Soils Report			
CO.10	Architect/Engineer Certification for Reduction In Setbacks to Buildings or Structures			
CO.11	Other items:	П		П

□ Review required / No fee □ Review re	equired / Fee required
□Hourly fee hours x \$169 =\$	
Code Enforcement Officer Signature:	Date
Comments:	
STAFF USE ONLY	
By:(Pri	int Name, Title)
Note: A conformance review will begin after the ti requested.	ime of submittal, and additional documentation may b

Planning Department Submittal Document Guide

This Submittal Document Guide is to provide you with document requirements for documents typically required for a coastal development permit application. This list is not comprehensive and does not contain document requirements for all City Departments. Contact individual City Departments for document requirements (<u>list of agency contacts</u>).

For a complete list of Planning Department forms, go to malibucity.org/planningforms.

Submittal Format

A CD or thumbdrive, which will not be returned, of all submittal materials is required with the exception of the Uniform Application and Submittal Checklist. All documents should be saved as Adobe PDFs. Each document shall be saved as a separate PDF.

In addition to a digital version, project plans shall be submitted in **24" x 36" size** hardcopy sets dimensioned to $\frac{1}{4}$ " = 1' or $\frac{1}{8}$ " = 1' scale and collated stapled and folded. For the PDF version, plans shall be grouped and named by discipline (e.g. architectural, grading, civil, etc.).

Documents Descriptions

1. Submittal Checklist

Provide in original format. No need to digitize.

2. Uniform Application

Provide in original format. No need to digitize. Will not be accepted without Property Owner's signature. Form: Uniform Application

3. Proof of Ownership

Grant deed for parcel(s); title report if parcel is vacant; and Operating Agreement for LLC or Trust Documents for Trusts to identify authorized representatives

4. Letter of Authorization

An applicant acting on behalf of the owner(s) shall present a notarized, written authorization signed by the property owner(s); a buyer in escrow shall present a notarized written authorization signed by the owner/seller; a lessee shall provide the property owner(s) written approval; authorizations shall give the applicant the authority to submit and process the application. Form: Letter of Authorization

5. Declaration Regarding Previously Issued Coastal Development Permits & Deed Restrictions

Include permits from California Coastal Commission and City of Malibu issued.

6. Grading Yardage Verification Certificate <u>OR</u> Letter Stating None Proposed Include licensed civil engineer wet-signed and wet-stamped grading yardage calculations. <u>Form:</u>
Grading Yardage Verification Certificate

7. Application Fees

City accepts cash, checks, money orders, or credit cards. A service fee will be charged for credit card transactions. See the <u>Planning Department and City Specialists Fee Schedule</u> or the <u>City Fee Schedule</u> for comprehensive list of fees.

8. CD or Thumdrive of all Documents

See Submittal Format section above.

9. Hardcopy Sets of Plans

See Submittal Format section above.

10. Written Statement(s) Justifying EACH Discretionary Request

11. Landscape Plan / Hardscape / Fence Plan OR letter stating none proposed

Provide **3 sets**; scale: ½" = 1' preferred, provided it is legible; existing **and** finished grade lines shall be shown. If proposed landscaping is subject to Landscape Water Conservation, see next item.

Native Plans of Santa Monica Mountains, List of Prohibited Invasive Plants, and Guide

Landscaping Water Conservation Ordinance / Landscape Documentation Package (LDP)

Provide **3 sets**; scale: ½" = 1' is preferred, provided it is legible; the existing **and** finished grade lines shall be shown

Plant lists must include Common and Botanical names as well as planted and potential height/growth rate

12.A. Landscape Package Cover Sheet

- Include the following information on the Plan: project address, APN, MMC zoning designation, General Plan land use designation, property owner name, North arrow, scale of drawing (e.g. 1/8" = 1');
- Complete project description including: total irrigated landscape area, landscape type (square footage of turf areas, edible areas, hardscape, etc. with percentage of coverage area i.e. turf less than 40% or 1,500 square feet of landscape area), water supply type; and
- Include the following Statement of Compliance:

12.B. Water Budget Calculation Worksheet

- Maximum Applied Water Allowance (MAWA)
- Estimated Total Water Use (ETWU)
- Online water budget spreadsheets available at the Department of Water Resources (DWR) website: http://www.water.ca.gov/wateruseefficiency/docs/WaterBudget.xls.
- Hydrozone Information Table: a numerical plant factor that reflects the water needs of the majority
 of the plants (and other non-plant materials, as applicable) must be assigned to each hydrozone.
 The assigned plant factor should be consistent with the water needs category specified by Water
 Use Classification of Landscape Species (WUCOLS).

12.C. Landscape Design Plan

- Include the following information on the Plan: project address, APN, property owner name, applicant name, North arrow, scale of drawing (e.g. ½" = 1');
- Label each hydrozone by number, letter or other method. Identify each hydrozone as low, moderate, high or mixed water use area (temporary irrigated areas shall be included in the low water use hydrozone);
- Identify existing plant materials to be retained or removed by common and scientific name;
- Indentify planting areas with: plant spacing, location, size and quantity of each specimen. Include
 a legend with common and botanical name of species. Include description of seed mixes with
 application rates and germination specifications; and
- Indentify all pervious and non-pervious hardscape, including areas used for storm water management. Include the type of water features and their surface area.

12.D. Soil Report

 If no onsite grading will occur, submit a soils test and report including recommendations for fertilizers, amendments and horticultural maintenance practices, along with a letter stating no onsite grading will occur. See Ordinance and Guidelines for more details and a list of soil testing labs in this region. • If onsite grading will be conducted as part of the project, soil testing shall be conducted after completion of finish grading and the project grading plan shall be part of the LDP submittal. The Soils Test Report shall be submitted with the Certificate of Completion.

12.E. Irrigation Design Plan

- Include the following information on the Plan: project address, APN, property owner name, applicant name, North arrow, scale of drawing (e.g. 1/8" = 1');
- Hydrozones and valves labeled by number, letter or other method as used in the hydrozone
 information table of the water budget calculation worksheet (this labeling can also assist with
 programming the controller and inspections of the system);
- Size and type of water meter and any separate water meters for landscape;
- Location, size and type of all components of the irrigation system, including controllers, main and lateral lines, valves, irrigation heads, moisture sensing devices, rain switches, quick couplers, pressure regulators and backflow prevention devices, as applicable;
- Electrical service for the irrigation controllers, including battery operated valves or solar powered controllers;
- Static water pressure at the point of connection to the public water supply;
- The flow rate in gallons per minute, application rate in inches per hour, and design operating pressure in pressure per square inch for each station;
- Any non-potable water irrigation systems, as applicable;
- All planting areas, especially those less than eight feet in width, designed so they can be irrigated without residual overspray and runoff; and
- Include the following Statement of Compliance.

13. Outdoor Lighting Plan OR letter stating none proposed

13A. Outdoor Lighting Basics

For Existing Lighting (Applicable upon the effective date):

- Outdoor light fixtures that have the ability to be redirected, shall be directed downward so as to minimize sky glow, glare and light trespass onto adjacent properties.
- Outdoor light fixtures that have adjustable dimmers with color temperature that exceeds 3000 Kelvin shall be dimmed to comply with MMC Section 17.41.050(G) to minimize glare and light trespass onto adjacent properties.
- String lights may be allowed in occupied dining and entertainment areas only and must not exceed 3000 Kelvin. String lights shall not be used as landscape lights. This does not apply to seasonal lighting.

For New Lighting: (Basic Residential Requirements):

- Lighting shall be <u>fully shielded</u> and <u>directed downward</u>.
 - "Fully shielded" means a light fixture constructed and installed in such a manner that all light emitted, either directly from the lamp or a diffusing element, or indirectly by reflection or refraction from any part of the fixture, is projected below the horizontal plane through the fixture's lowest light-emitting part.
 - The Dark Sky Ordinance includes a requirement to direct the light "downward" or towards the ground. This is done to concentrate the light in a fixed area, thereby improving the visibility within that area and reducing light pollution, light trespass and sky glow.
 - Additional definitions, such as light pollution, light trespass and sky glow can be found in Section 17.41.030 of the Dark Sky Ordinance
- Lumen count shall not exceed 850 lumens.

- Security lighting shall be attached to buildings and controlled by motion sensors which extinguish no later than 10 minutes after activation.
- Color temperature shall not exceed 3000 Kelvin.
- Curfew: Unless controlled by motion sensors, outdoor Lighting shall be extinguished by 11:00 pm or when people are no longer present in exterior areas.
- Outdoor lighting shall only be used within 50 feet of a residentially habitable building or pool with the exception of security, driveway and walkway lighting.

13B. Compliance Deadlines

Per MMC Section 17.41, the Dark Sky Ordinance became effective on October 15, 2018. Compliance periods for existing non-conforming lighting are established by zoning district. Notwithstanding the provisions in MMC Chapter 17.60 (Non-conforming Structures and Uses) and MMC Section 17.04.070, a property owner shall comply with the requirements of this chapter by the following compliance deadlines. Any non-compliant lighting still in place after the compliance deadline shall remain extinguished at all times.

- A. Gas Stations: Outdoor lighting at gas station properties shall comply by October 15, 2019 (1 Year from the effective date).
- B. Commercial and Recreations Zones: Outdoor lighting in commercial zones, including but not limited to CN, CC, CV, CG, RVP, and RD zoning districts shall comply by October 15, 2020 (2 Years from the effective date).
- C. Residential and Institutional Zones: Outdoor lighting in all remaining zones, including but not limited to SF, MF, MFBF, RR, PD, MH, and I zoning districts shall comply by October 15, 2021 (3 Years from the effective date).

14. Outdoor Lighting Plan Requirements:

- Site Plan depicting the location of existing and proposed outdoor light fixtures.
 - o Include the following information on the Plan: project address, APN, MMC zoning designation, General Plan land use designation, property owner name, North arrow, scale of drawing (e.g. 1/8" = 1');
- Manufacturer Specifications/Fixture Exhibit
 - o Include details regarding the lumen counts and Kelvin for each fixture
- A photometric plan

15. Public Beach Access Locations/Information (Beachfront lots only)

On a separate page, provide the location of the nearest public beach access point, what type of access exists and whether the access is open to public.

16. Written Evidence of Review and Determination from the CA State Lands Commission

The California State Lands Commission is the State agency responsible for determining the common boundary between public trust lands and private property. Per LIP Section 10.5(C), review by State Lands is required for all applications for proposed development on a beach or along the shoreline. Contact: Drew Simpkin, 100 Howe Avenue, Suite 100-South, Sacramento, CA 95825-8202; Office (916) 574-2275; Email simpkid@slc.ca.gov.

17. Project Plans

For size and quantity, see Submittal Format section on page 1.

17.A. Cover Sheet

Must include:

- Project address, Assessor's Parcel Number (APN), Malibu Municipal Code (MMC) Zoning Designation, General Plan Land Use Designation, property owner name, applicant name, North arrow, scale of drawing (e.g. ½" = 1'); beachfront lots must note applicable NGVD29 or NAVD88 vertical datum;
- Gross and Net lot area (see separate handout for description);
- Required and proposed setbacks;
- Proposed and existing Total Development Square Footage (TDSF);
- Proposed and existing unenclosed covered areas (e.g., terraces, balconies and loggias that project more than 6 feet from the building face);
- Proposed and existing impermeable coverage;
- Detailed project description (include any green or sustainable features);
- Two-thirds calculation (refer to MMC Section 17.40.040(A)(13)(b)); and
- List of discretionary requests.

17.B. Boundary and Topographic Survey

Shall be prepared, wet-stamped and wet-signed by a registered civil engineer or licensed surveyor (NAVD88 must be used for vertical datum).

Must include:

- Project address, APN, property owner name, north arrow, scale of drawing (e.g. 1" = 10");
- Topography showing two-foot contours;
- Property boundaries with metes and bounds including bearings, distance and radius;
- Property boundaries, including existing monuments found or set during any field work, must be
 plotted based on existing markers such as iron rods, pipes, nails set in concrete or asphalt or other
 markers clearly shown. Markers must be identified or property corners must be set as part of the
 survey;
- All easements, offers to dedicate, deed restrictions and servitudes that have the potential to affect future development;
- Location of all trees with trunks at least 4 inches in diameter at a point 4½ feet above the ground;
- Location of any buildings or structures of adjacent owners that are within 15 feet of the property or that may be affected by proposed grading, slope repair or any other improvement;
- Show entire access way from the nearest public street to the property; and
- Beachfront lots include:
 - Elevation at street centerline:
 - Mean high tide line (most landward surveyed and recorded per the California State Lands Commission);
 - Building and deck stringlines by connecting the nearest adjacent neighboring corners);
 - Shoreline protection devices for adjacent properties and their stringline using nearest corners;
 - FEMA flood zones; and

Front yard setback dimension for the two adjacent neighboring buildings.

17.C. Site Plan

Must include:

- Project address, APN, property owner name, North arrow, scale of drawing (e.g. ½" = 1');
- All proposed structures, including fences and walls; show existing structures if addition;
- Required setbacks and lot dimensions:
- ESHA and ESHA buffer boundary(ies) (as applicable);
- Location of OWTS; existing and proposed (as applicable);
- Location of ground mounted equipment;
- Fire Dept accessways, including driveway, turnaround and a five foot clearance around the structure(s);
- Sustainable building elements (e.g., solar panels, wind turbines, rain capturing devices, etc.);
- Easements and any offers to dedicate;
- Bluff-top lots, include required bluff setbacks;

- Beachfront and creek-side projects, include the FEMA floodplains and Base Flood Elevation; and
- Beachfront lots, include elevation at street centerline, mean high tide line and deck and building stringlines, and note the vertical datum (preference is NAVD88).

17.D. Architectural Plans

Floor Plans(s), Dimensioned Elevations and Sections – the existing and finished grade lines shall be shown; Roof Plan overlaid on topography – with roof slope indicated and equipment depicted; scale: 1/8" = 1' is preferred, provided it is legible

17.F. Demolition Plan

Clearly show and label the existing (E) and proposed new (N) exterior walls, doors and large windows. Highlight those sections to be removed and/or replaced, both visually and in a table noting the existing and proposed linear feet of all exterior walls, doors and large windows. Account for removal/replacement of anticipated framing members necessary for the project due to structural requirements, shear walls, age and/or weathering. Scale: 1/8" = 1' acceptable provided it is legible.

*See Remodel Policy for details.

17.G. Preliminary Foundation Plan

Account for anticipated structural elements necessary for the project such as required support for additions, foundation pads, grade beams, caissons, alterations for FEMA flood elevation requirements, depth of understructure, excavation and underpinning. Include swimming pools and spas, if proposed.

*See Remodel Policy for details.

18. Grading, Drainage, Erosion and Storm Water Management Plans <u>OR letter stating none proposed</u>

- Proposed grades for the pad area around the proposed structure or structures to establish drainage and building height information. Beachfront lots must note NAVD88 vertical datum. Beachfront and creek-side projects must include the FEMA floodplains and Base Flood Elevation;
- Grading Yardage Verification Certificate signed by the civil engineer, copied directly onto the cover sheet of the Grading Plan. Form: Grading Yardage Verification Certificate

19. Color Coded Slope Analysis

1 original 24" x 36" color copy; original to be wet-stamped and signed by a licensed surveyor or engineer based on the site survey, measured at 5' contours, indicating slope categories and the square footage of the following categories: Less than 4:1, 4:1 to 3:1, 3:1 to 2½:1, 2½:1 to 1:1 and 1:1 and greater. The plan shall include the footprint of all proposed structures (including walls, pools, etc.

- Proposed cut and fill slope locations showing proposed setbacks from property lines when applicable; and
- Show the proposed drainage system including the proposed point of discharge.

20. Landscape Plan

See Item #11.

21. Irrigation Plans

See Item #12.

22. Will Serve Letter

A Will Serve Letter is required for all new construction, including additions and swimming pools. Obtain this letter from Los Angeles County Waterworks District No. 29, 23533 Civic Center Way, Malibu, (310) 317-1388; counter hours: Mon-Thurs 8-11 a.m. and Fri 8:30-11 a.m.

^{*}See Public Works Submittal Requirements

23. Visual Analysis

Include site photographs and/or photo simulations of the proposed development.

24. Major Remodel Agreement

Should the project be deemed a "major remodel," an original executed agreement shall be provided to the Case Planner. The Case Planner will then route to the Planning Director and Building Official for signatures.

<u>Form: Major Remodel Agreement</u>

Structural Plans

In addition to architectural plans, structural plans are required to demonstrate the percentage of exterior walls and foundation that will be altered as part of the remodel. Structural plan must include a calculation of exterior walls to be altered. See the City's Remodel Policy for a definition for what constitutes a new or altered exterior wall and/or foundation. Please note that these plans will be routed to the Building Safety Division and additional fees may apply.

26. Story Pole Plan, Certification, and Photos

Upon receiving Department approvals, a Story Pole Plan must be submitted showing the location and heights of all proposed new structures. See Story Pole Policy for additional information. Forms: Story Pole Providers and Story Pole Certification

27. Title Report

Title Report for the vacant parcel that includes information pertaining to a Certificate of Compliance (COC), validating the parcel as a legal parcel. If the parcel has not previously received a COC, please apply for a COC through the Planning Department which may require a CDP application.

28. Feasible Alternatives Report

The Local Coastal Program requires a finding that there are no feasible alternatives to development that would avoid or substantially lessen any significant adverse impacts, and requires a Feasible Alternatives Report from the applicant. The report shall describe feasible alternatives that were considered by the applicant for the project. Possible alternatives include, but are not limited to, different location, different size and different configurations. The report should describe why these alternatives were rejected, why the applicant elected the alternative proposed and how it is the least environmentally damaging alternative.

29. Notice of Coastal Development Permit Posting Affidavit

This document is only required for coastal development permits including amendments. The notice will be mailed to you. Upon receipt, post the notice on the property as instructed and complete and return the Notice of Coastal Development Permit Posting Affidavit, prepared for the subject application.

30. Certified Public Notice Property Owner and Occupant Addresses and Radius Map

- A. <u>Microsoft Excel Workbook</u> All properties, residential units, and commercial suites within the 500-foot mailing radius shall be provided in a Microsoft Excel spreadsheet. Each distinct address within the radius shall be listed twice, one reflecting the tenant's address and the other reflecting the property owner's address. The project applicant's mailing address should be added at the end of the list. Column headers must include:
 - Street Address 1
 - Street Address 2 (Apartment Unit or Commercial Suite Number)
 - City;
 - State Abbreviation;
 - Five-digit ZIP Code; and
 - Accessor's Parcel Number (APN)

An additional column for "arbitrary number" may be included if the supplied radius map utilizes such numbers for the purpose of correlating the addressee to their map location.

- B. Radius Map (showing a 500 foot radius from the subject property, which intersects all—or a portion—of at least ten developed properties).
- C. <u>Certification Letter</u> (signed and dated by the preparer)
 Note: The mailing data is valid for six months from the preparation date.

31. Plan Sets for Hearing

Seven (7) 11" x 17" reduced sets, stapled and collated, and one (1), $8\frac{1}{2}$ " x 11" set of the final plans will be required prior to deeming the application complete. Staff will coordinate with applicant after the development plans have been accepted as complete.

32. Land Division – Set of Plans

Two (2) Size 24" x 36" collated and folded.

32.A. Site Survey

Must include:

- Property boundaries with bearings, distance, and monuments, iron rods, or other markers clearly shown; show existing and proposed lot lines
- North arrow, date, scale, dimensions and record boundaries of total ownership
- Sufficient dimensions and record boundaries to define the boundaries of the subject properties
- Proposed boundaries and dimensions; show existing lot lines dashed and new lines solid and label accordingly; show the calculation of the square footage of each existing and proposed parcel
- A number for each lot
- Names, locations and widths of all adjoining streets or access ways
- Widths and alignments of all easements, whether public or private
- Location of the nearest fire hydrant found within five hundred feet of the lots
- Actual street names or identifying letter for proposed streets
- Indicate topography by showing approximate contours
- Location of existing structures or improvements must be clearly and accurately drawn to scale and indicate the distance to propose lot lines; if describing such structures or improvements on the tentative map is impossible or impractical, such information should be submitted on a separate sheet; show house number and disposition of each structure
- Approximate location and direction of flow of all defined watercourses
- Vicinity map
- ESHA boundaries (if applicable);
- Location of existing onsite wastewater treatment system and distance to lot lines
- Calculation of square footage of all existing parcels and newly configured parcels
- All easements, offers to dedicate, deed restrictions, and description of adjacent uses;
- Location of trees that are at least 4" in diameter at a point 4 ½ feet above the ground;
- ESHAs and ESHA buffers and location of onsite wastewater treatment system;
- Location of any buildings or structures of adjacent owners that are within 15 feet of the property or that may be affected by proposed grading;
- Beachfront lots include stringline and mean high tide line
- shall be prepared with wet-signature by a registered civil engineer or licensed surveyor.)

32.B. Site Plan

Must include:

- All proposed structures, including fences and walls; show existing structures if addition
- ESHA and ESHA buffer boundaries (as applicable)
- Location of onsite wastewater treatment systems
- Include the following information on the plans: Project address, Assessor's Parcel Number, Land Use Zone, General Plan Land Use Designation, Property Owner name, North Arrow, Scale of Drawing (e.g. 1/4" = 1')

Include a calculation of the following:

- Proposed impermeable surface area (footprint only)
- Existing impermeable surface area to be replaced by another impermeable surface
- Total Disturbed Area include all structures, paving, grading, landscaping, and areas used for material storage and disposal; include a calculation of all impermeable surfaces within the Total Disturbed Area

32.C. Tentative Parcel / Tract Map

Must Include:

- Map number (obtain Map Number from the County Assessor)
- Name, address and telephone number of applicant;
- Name, address and telephone number of record owner of property;
- Name, address and telephone number of registered civil engineer or licensed surveyor who
 prepared the tentative map;
- Sufficient legal description of the property as to define the boundaries of the proposed land division;
- Amount of acreage within the proposed parcel;
- Date, north point, and scale;
- Names, location, grade and width of proposed streets with approved access to the parcel;
- Location, width, and purpose of proposed easements and rights-of-way;
- Location, width, and purpose of existing recorded easements and public rights-of way;
- The name, if any, location, width, and approximate grade of existing streets, alleys, highways and easements which are within or adjacent to the proposed division of land;
- Vicinity map;
- Contour lines including the location and width of watercourses;
- Proposed land use classification of parcel;
- Location of existing utilities, water wells, septic tanks and leach lines;
- Number of each lot:
- Radius and length of curves;
- Location of underground irrigation and drainage lines;
- Number, type, location and size of all existing trees and vegetation as defined by State Biological Natural Diversity Database;
- All sensitive resource areas: All areas of archaeological, cultural or historic significance:
- Boundaries of all watersheds; Boundaries of all floodplains;
- Boundaries of all geo-sensitive areas. (Ord. 86 § 5 (part), 1993: prior code § 10306)

32.D. Color-Coded Slope Analysis

See Item #17

33. Documents Relating to the Legality of the Lots

33.A. Assessor's Map

Copies of the latest Assessor's Map of the parcels and surrounding area on all sides

33.B. Deed History

Provide copies of deeds creating the existing configuration and the deeds of acquisition by current owners. Deeds to adjacent properties may be required to show seniority.

- Copies of underlying record maps
- Any and all other deeds or documents, such as certificates of compliance, which may be necessary to provide the legality of the existing parcels or to complete the interpretation of legal description in other documents.
- · Copy of recent tax bill for all affected parcels.

33.C. Legal Description

Provide legal description on an 8 $\frac{1}{2}$ x 11" sheet labeled "Exhibit A-1", "A-2, etc. for each proposed parcel with engineer/surveyors signature and registration stamp.

33.D. Plat Map

Provide one plat map on an 8 $\frac{1}{2}$ x 11" sheet labeled "Exhibit B" showing the configuration of all existing and proposed parcels with engineer/surveyor's signature and registration stamp. This plat map must demonstrate that no parcel will be landlocked.

• Provide traverse closures of existing and proposed parcels.

33.E. Title History (see Item #25)

Environmental Health Submittal Document Guide for Over-The-Counter, Administrative Plan Review, and Coastal Development Permits

This Submittal Document Guide is to provide you with document requirements for documents typically required for Coastal Development Permit applications in Building Plan Check. This list is not comprehensive and does not contain document requirements for all City Departments. Contact individual City Departments for document requirements (list of agency contacts).

Submittal Format

A CD or thumbdrive, which will not be returned, of all submittal materials is required with the exception of the Uniform Application and Submittal Checklist. All documents should be saved as Adobe PDFs. Each document shall be saved as a separate PDF.

In addition to a digital version, project plans shall be submitted in **24" x 36" size** hardcopy sets dimensioned to $\frac{1}{4}$ " = 1' or $\frac{1}{8}$ " = 1' scale and collated stapled and folded. For the PDF version, plans shall be grouped and named by discipline (e.g. architectural, grading, civil, etc.).

Documents Descriptions

- EH.1 Project Plans (see Project Plans under Planning Project Plan Requirements)
- EH.2 **Grading Plans** (see Grading, Drainage, Erosion and Storm Water Management Plan under Project Plan Requirements)
- EH.3 **Landscape/Hardscape/Irrigation Plans** (see Landscape Plan and Landscape Water Conservation Ordinance Document Package under Biological / Landscape Requirements)
- EH.4 **Certified/Original Fixture Unit Worksheet**: A fixture unit worksheet showing all existing and proposed drainage fixture units must be completed and certified by a licensed Architect, Civil Engineer, Environmental Health Specialist, or an "A", "C-42", "C-36" Contractor License. The fixture unit count presented on the worksheet must match the submitted architectural floor plans. For a Fixture Unit Worksheet go to, https://www.malibucity.org/documentcenter/view/218
- EH.5 **OWTS Plot Plan / (11x17):** Submit an onsite wastewater treatment system (OWTS) plot plan showing all existing improvements, proposed improvements, property lines, and the existing OWTS (including the designated future expansion disposal area). The building sewer and all points of connection between habitable structures and the existing septic system(s) must be shown on the OWTS plot plan. The plot plan must be drawn to scale. The OWTS plot plan must demonstrate conformance with the minimum requirements of the Malibu Municipal Code and the City of Malibu Local Coastal Plan/Local Implementation Plan (LCP/LIP). At least one copy of the plot plan showing essential features of the OWTS must fit on an 11" x 17" sheet leaving a 5" left margin in clear.
- EH.6 **Prohibition Policy Acknowledgment Form:** The subject property is located within Phase I, II, or III of the Malibu Civic Center Area Prohibition Area. The property owner must sign the attached acknowledgement form stating they have read and understand the provisions of the Basin Plan Amendment and the MOU. For a copy of the form go to, https://www.malibucity.org/documentcenter/view/310
- EH.7 **OWTS Inspection Report:** An OWTS registered inspector practitioner must submit an inspection of any and all OWTS located at the subject property. For a list of OWTS Registered Inspector Practitioners go to, https://www.malibucity.org/DocumentCenter/View/600

- EH.8 **Operating Permit Required:** Enrollment into the Operating Permit program for all the OWTS(s) located on the subject property is required, per the Malibu Municipal Code (Section 15.44. For a list of OWTS Registered Inspector Practitioners go to, https://www.malibucity.org/DocumentCenter/View/600
- EH.9 **Compliance Agreement:** A compliance agreement running with the land shall be executed between the City of Malibu and the owner of the subject real property and recorded with the Los Angeles County Recorder's Office. Said agreement shall serve as constructive notice to the owner or any future purchaser for value that any remodel of the subject building requires an upgrade of the onsite wastewater treatment system serving the subject property to include tertiary treatment pursuant to the Malibu Muncipal CodeSection 15.40.050. Said agreement shall be provided by the City of Malibu Environmental Health Administrator. Please notify the City of Malibu Environmental Health Administrator upon completion of the recorded agreement.
- EH.10 OWTS Design Report: A preliminary design report and plan drawings shall be submitted so as to demonstrate the feasibility of the proposed project with respect to conformance with the Malibu Municipal Code and Local Coastal Program/Local Implementation Plan. The preliminary design drawings and calculations must be signed and stamped (where applicable) by a California-registered Civil Engineer, a Registered Environmental Health Specialist, or a Professional Geologist who is responsible for the design, and is a registered practitioner with the City Malibu. For list of **OWTS** Registered Design Practitioners go to, https://www.malibucity.org/DocumentCenter/View/599
- EH.11 Soils Analysis / Percolation / Infiltration Report: The location and construction dimensions of any proposed subsurface sewage effluent disposal system shall be based on a percolation/infiltration test report and/or soils analysis report that are performed for the express purpose of providing information to be used for design of an onsite wastewater treatment system. Percolation or infiltration tests shall be conducted by a California Certified Engineering Geologist, a California Registered Civil Engineer, or a California Registered Environmental Health Specialist. Soils analysis shall be conducted by a California Registered Professional Geotechnical Engineer, and the results shall include descriptions of both texture (expressed in United States Department of Agriculture terminology) and structure in accordance with the United States Environmental Protection Agency (2002) Onsite Wastewater Treatment Systems Manual. All failed test locations must be described in the report. Please note only original "wet signature" documents are acceptable.
- EH.12 **OWTS Supporting Geology / Soils Report:** A report from the project geologist and/or soils engineer shall be submitted that conforms to Section 5.8 of the City's Geotechnical Guidelines, and contains the items listed below. The report must be performed for the express purpose of providing information to be used for design of an onsite wastewater treatment system. **Please note only original "wet signature" documents are acceptable.**
 - a. <u>Geology/Soils Description</u>. Provide an analysis as to the natural soils and/or rock material located at the proposed subsurface sewage effluent dispersal area(s). For natural soils, United States Department of Agriculture soil texture triangle terminology shall be used. For rock material, major geologic units and rock types shall be described. Provide a soil profile extending from the base of the effluent dispersal system (i.e., infiltrative surface) to either the groundwater depth, or to the depth of the design boundary for effluent migration, whichever is most restrictive. For leaching bed or drip dispersal systems, the soil profile shall be obtained from test pits/trenches (or borings) extending at least 5 feet below the base of the effluent dispersal system. Describe geological and hydrogeological conditions at all effluent dispersal system design boundaries (see USEPA 2002).
 - b. <u>Groundwater Statement</u>. The consultant shall state where (i.e., at what depth) in his/her professional opinion: (i) the annual average groundwater level is beneath the location of the effluent dispersal system and (ii) the seasonal high groundwater level is beneath the location of the effluent dispersal system. Any indication of historical high groundwater (i.e., soil mottling, etc.) shall be noted and considered. If groundwater is found during field exploration, then the consultant shall indicate where groundwater was found. The consultant shall also consider what effect, if any, the onsite wastewater dispersal system will have on groundwater (i.e., mounding, migration, daylighting, etc.) and describe the anticipated path of effluent in the subsurface.

- c. Anticipated Path of Effluent. Geologic cross sections(s) of the most critical slope shall be provided which depict the proposed development, proposed wastewater treatment system, and anticipated paths of effluent. The project geologist and/or soils engineer shall provide sufficient geologic data to substantiate their conclusions regarding the effects of effluent on groundwater levels under the site, the potential for mounding of groundwater, and the potential for effluent to daylight on the ground surface. The supporting geologic discussion shall include interpretations of geologic structure, stratigraphy (specifically, lithologic changes across the site that could affect hydraulic conductivities across the site), and discontinuities such as fractures, faults, clay seams, and joint systems.
- d. <u>Cap Depth Statement</u>. Provide a recommended cap depth for each proposed present and future seepage pit. The recommended cap depth shall be referenced to existing grade at the time the boreholes were logged and tested for percolation capacity.
- e. <u>Stability Statement</u>. Addressing the current development proposal, the consultant shall unequivocally state whether the disposal of sewage effluent in the proposed subsurface dispersal areas on subject property will cause any instability either for the subject property or for any neighboring property.

EH.13 Architect/Engineer Certification for Reduction In Setbacks to Buildings or Structures:

All proposed reductions in setbacks from the onsite wastewater treatment system to structures or other features less than those shown in Malibu Municipal Code (MMC) Section 15.42 must be supported by letters from the project consultants. The wastewater plans and the construction plans must be specifically referenced in all certification letters. The construction plans for all structures and/or buildings with reduced setback must be approved by City of Malibu Building Safety prior to Environmental Health final approval. The architectural and/or structural plans submitted for Building Safety plan check must detail methods of construction that will compensate for the reduction in setback (e.g., waterproofing, concrete additives). For complex waterproofing installations, submittal of a separate waterproofing plan may be required. All plans must show the location of onsite wastewater treatment system components in relation to those structures from which the setback is reduced, and the plans must be signed and stamped by the architect, structural engineer, and geotechnical consultants (as applicable).

- Structures All proposed reductions in setback from the onsite wastewater treatment system
 to structures (i.e., setbacks less than those shown in MMC Section 15.42) must be supported
 by a letter from the project Structural Engineer and a letter from the project Soils Engineer
 (i.e., a Geotechnical Engineer or Civil Engineer practicing in the area of soils engineering).
 Both engineers must certify unequivocally that the proposed reduction in setbacks from the
 treatment tank and effluent dispersal area will not adversely affect the structural integrity of
 the onsite wastewater treatment system, and will not adversely affect the structural integrity
 of the structures for which the setback is reduced.
- Buildings All proposed reductions in setback from the onsite wastewater treatment system to buildings (i.e., setbacks less than those shown in MMC Section 15.42) also must be supported by a letter from the project Architect, who must certify unequivocally that the proposed reduction in setbacks will not produce a moisture intrusion problem for the proposed building(s). If the building designer is not a California licensed architect, then the required Architect's certification may be supplied by an Engineer who is responsible for the building design with respect to mitigation of potential moisture intrusion from reduced setback to the wastewater system; in this case the Engineer must include in the letter an explicit statement of responsibility for mitigation of potential moisture intrusion. If any specific construction features are proposed as part of a moisture intrusion mitigation system in connection with the reduced setback(s), then the Architect (or Engineer) must provide associated construction documents for review and approval during Building Plan Check.

EH.14 **Geotechnical Report:** All reports must conform to the City of Malibu's current Geotechnical Guidelines and Building Codes. The current guidelines may be viewed on the City's website at: https://www.malibucity.org/documentcenter/view/215

EH.15 **Hydrogeological Report (Water Wells):** A groundwater evaluation must be prepared by the Project Geologic Consultant to substantiate whether or not any subsurface pathway has a significant likelihood of enabling effluent from surrounding onsite wastewater treatment systems to contaminate the proposed water well. The groundwater evaluation shall be submitted for review by both Environmental Health and the City Geology/Geotechnical reviewers. The site plan must show, and the groundwater evaluation must consider, all onsite wastewater treatment systems located within a 250-foot radius of the proposed well location. The report should also provide recommendations (or concurrence) for the minimum depths below ground surface to the top of the well screen and the bottom of the sanitary seal. The proposed site for subsurface sewage effluent dispersal system/soil absorption system shall also be free from poorly drained soils and soils or formations containing continuous channels, cracks, or fractures, unless a setback of 250 ft. to domestic water supply well or surface water is assured, or unless secondary or tertiary wastewater pre-treatment is provided prior to discharging to the system. The applicant must also submit to Los Angeles County Department of Public Health for Approval for potable supply well (water quality and well yield test approval).

EH.16 Coastal Engineering Report (Beachfront Property Only): A Wave Uprush Report by a Coastal Engineer shall be submitted as to necessity of a bulkhead/seawall, and the location and design of any existing, or proposed bulkhead/seawall, meant to protect any existing, or new onsite wastewater treatment system. The report must describe the design beach profile and beach scour line subject to significant storm events. Provide a cross section drawn to scale with a precise datum reference showing the design beach profile and the proposed location for a structural protection device. The beach scour line shall be clearly labeled to facilitate development of an integrated cross section drawing showing geologic units and the anticipated path of effluent (fill, bedrock, beach sand). A copy of the report shall be submitted to both Environmental Health and to the City of Malibu Coastal Engineering reviewer. Please note only original "wet signature" documents are acceptable.

EH.17	Other items:		

Geotechnical Department Submittal Document Guide for Over-The-Counter, Administrative Plan Review, and Coastal Development Permits

This Submittal Document Guide is to provide you with document requirements for documents typically required for an Over-The-Counter, Administrative Plan Review, and Coastal Development Permit applications. This list is not comprehensive and does not contain document requirements for all City Departments. Contact individual City Departments for document requirements (<u>list of agency contacts</u>).

Submittal Format

A CD or thumbdrive, which will not be returned, of all submittal materials is required with the exception of the Uniform Application and Submittal Checklist. All documents should be saved as Adobe PDFs. Each document shall be saved as a separate PDF.

In addition to a digital version, project plans shall be submitted in **24" x 36" size** hardcopy sets dimensioned to $\frac{1}{4}$ " = 1' or $\frac{1}{8}$ " = 1' scale and collated stapled and folded. For the PDF version, plans shall be grouped and named by discipline (e.g. architectural, grading, civil, etc.).

Documents Descriptions

- GEO.1 **Project Plans** (see Project Plans under Project Plan Requirements)
- GEO.2 **Grading Plans** (see Grading, Drainage, Erosion and Storm Water Management Plan under Project Plan Requirements)
- GEO.3 Landscape/Hardscape/Irrigation Plans (see Landscape Plan and Landscape Water Conservation Ordinance Document Package under Biological / Landscape Requirements)
- GEO.4 **Geotechnical Report:** All reports must conform to the City of Malibu's current Geotechnical Guidelines and Building Codes. The current guidelines may be viewed on the City's website at: https://www.malibucity.org/documentcenter/view/215
- GEO.5 **OWTS Plot Plan (11x17):** Submit an onsite wastewater treatment system (OWTS) plot plan showing all existing improvements, proposed improvements, property lines, and the existing OWTS (including the designated future expansion disposal area). The building sewer and all points of connection between habitable structures and the existing septic system(s) must be shown on the OWTS plot plan. The plot plan must be drawn to scale. The OWTS plot plan must demonstrate conformance with the minimum requirements of the City of Malibu Plumbing Code, i.e. Title 28 of the Los Angeles County Code, incorporating the California Plumbing Code, latest Edition, with City of Malibu local amendments (Malibu Municipal Code Section 15.12; hereinafter MPC), and the City of Malibu Local Coastal Plan/Local Implementation Plan (LCP/LIP). At least one copy of the plot plan showing essential features of the OWTS must fit on an 11" x 17" sheet leaving a 5" left margin in clear.
- GEO.6 **OWTS Design Report:** A preliminary design report and plan drawings shall be submitted so as to demonstrate the feasibility of the proposed project with respect to conformance with the MPC and LCP/LIP. The preliminary design drawings and calculations must be signed and stamped (where applicable) by a California-registered Civil Engineer, a Registered Environmental Health Specialist, or a Professional Geologist who is responsible for the design, and is a registered practitioner with the City of Malibu. For a list of OWTS Registered Design Practitioners go to, https://www.malibucity.org/DocumentCenter/View/599
- GEO.7 **Soils Analysis / Percolation / Infiltration Report:** The location and construction dimensions of any proposed subsurface sewage effluent disposal system shall be based on a percolation/infiltration test report and/or soils analysis report that are performed for the express purpose of providing information to be used for design of an onsite wastewater treatment system. Percolation or infiltration tests shall be conducted by a California Certified Engineering Geologist, a California Registered Civil Engineer, or a California Registered Environmental Health Specialist. Soils analysis shall be conducted by a California Registered Professional Geotechnical Engineer, and the results shall include descriptions of both texture (expressed in United States Department of Agriculture terminology) and structure in accordance with the United States Environmental Protection Agency (2002) Onsite Wastewater Treatment Systems Manual. All failed test locations must be described in the report. Please note only original "wet signature" documents are acceptable.
- GEO.8 **OWTS Supporting Geology / Soils Report:** A report from the project geologist and/or soils engineer shall be submitted that conforms to Section 5.8 of the City's Geotechnical Guidelines, and contains the items listed

below. The report must be performed for the express purpose of providing information to be used for design of an onsite wastewater treatment system. *Please note only original "wet signature" documents are acceptable.*

- a. <u>Geology/Soils Description</u>. Provide an analysis as to the natural soils and/or rock material located at the proposed subsurface sewage effluent dispersal area(s). For natural soils, United States Department of Agriculture soil texture triangle terminology shall be used. For rock material, major geologic units and rock types shall be described. Provide a soil profile extending from the base of the effluent dispersal system (i.e., infiltrative surface) to either the groundwater depth, or to the depth of the design boundary for effluent migration, whichever is most restrictive. For leaching bed or drip dispersal systems, the soil profile shall be obtained from test pits/trenches (or borings) extending at least 5 feet below the base of the effluent dispersal system. Describe geological and hydrogeological conditions at all effluent dispersal system design boundaries (see USEPA 2002).
- b. <u>Groundwater Statement</u>. The consultant shall state where (i.e., at what depth) in his/her professional opinion: (i) the annual average groundwater level is beneath the location of the effluent dispersal system and (ii) the seasonal high groundwater level is beneath the location of the effluent dispersal system. Any indication of historical high groundwater (i.e., soil mottling, etc.) shall be noted and considered. If groundwater is found during field exploration, then the consultant shall indicate where groundwater was found. The consultant shall also consider what effect, if any, the onsite wastewater dispersal system will have on groundwater (i.e., mounding, migration, daylighting, etc.) and describe the anticipated path of effluent in the subsurface.
- c. Anticipated Path of Effluent. Geologic cross sections(s) of the most critical slope shall be provided which depict the proposed development, proposed wastewater treatment system, and anticipated paths of effluent. The project geologist and/or soils engineer shall provide sufficient geologic data to substantiate their conclusions regarding the effects of effluent on groundwater levels under the site, the potential for mounding of groundwater, and the potential for effluent to daylight on the ground surface. The supporting geologic discussion shall include interpretations of geologic structure, stratigraphy (specifically, lithologic changes across the site that could affect hydraulic conductivities across the site), and discontinuities such as fractures, faults, clay seams, and joint systems.
- d. <u>Cap Depth Statement</u>. Provide a recommended cap depth for each proposed present and future seepage pit. The recommended cap depth shall be referenced to existing grade at the time the boreholes were logged and tested for percolation capacity.

<u>Stability Statement</u>. Addressing the current development proposal, the consultant shall unequivocally state whether the disposal of sewage effluent in the proposed subsurface dispersal areas on subject property will cause any instability either for the subject property or for any neighboring property.

GEO.9 Architect/Engineer Certification for Reduction In Setbacks to Buildings or Structures: All proposed reductions in setback from the onsite wastewater treatment system to structures (i.e., setbacks less than those shown in Malibu Plumbing Code Table H 101.8) must be supported by a letter from the project Structural Engineer and a letter from the project Soils Engineer (i.e., a Geotechnical Engineer or Civil Engineer practicing in the area of soils engineering). Both engineers must certify unequivocally that the proposed reduction in setbacks from the treatment tank and effluent dispersal area will not adversely affect the structural integrity of the onsite wastewater treatment system, and will not adversely affect the structural integrity of the structures for which the Table H 101.8 setback is reduced.

All proposed reductions in setback from the onsite wastewater treatment system to <u>buildings</u> (i.e., setbacks less than those shown in Table H 101.8) also must be supported by a letter from the project Architect, who must certify unequivocally that the proposed reduction in setbacks will not produce a moisture intrusion problem for the proposed building(s). If the building designer is not a California licensed architect, then the required Architect's certification may be supplied by an Engineer who is responsible for the building design with respect to mitigation of potential moisture intrusion from reduced setback to the wastewater system; in this case the Engineer must include in his letter an explicit statement of responsibility for mitigation of potential moisture intrusion. If any specific construction features are proposed as part of a moisture intrusion mitigation system in connection with the reduced setback(s), then the Architect (or Engineer) must provide associated construction documents for review and approval during Building Plan Check.

The wastewater plans and the construction plans must be specifically referenced in all certification letters. The construction plans for all structures and/or buildings with reduced setback must be approved by City of Malibu Building and Safety prior to Environmental Health final approval. The architectural and/or structural plans submitted for Building and Safety plan check must detail methods of construction that will compensate for the reduction in

setback (e.g., waterproofing, concrete additives, etc.). For complex waterproofing installations, submittal of a separate waterproofing plan may be required. The architectural/structural/waterproofing plans must show the location of onsite wastewater treatment system components in relation to those structures from which the setback is reduced, and the plans must be signed and stamped by the architect, structural engineer, and geotechnical consultants (as applicable).

GEO.10 **Hydrogeological Report (Water Wells):** A groundwater evaluation must be prepared by the Project Geologic Consultant to substantiate whether or not any subsurface pathway has a significant likelihood of enabling effluent from surrounding onsite wastewater treatment systems to contaminate the proposed water well. The groundwater evaluation shall be submitted for review by both Environmental Health and the City Geology/Geotechnical reviewers. The site plan must show, and the groundwater evaluation must consider, all onsite wastewater treatment systems located within a 250-foot radius of the proposed well location. The report should also provide recommendations (or concurrence) for the minimum depths below ground surface to the top of the well screen and the bottom of the sanitary seal. The proposed site for subsurface sewage effluent dispersal system/soil absorption system shall also be free from poorly drained soils and soils or formations containing continuous channels, cracks, or fractures, unless a setback of 250 ft. to domestic water supply well or surface water is assured, or unless secondary or tertiary wastewater pre-treatment is provided prior to discharging to the system. The applicant must also submit to Los Angeles County Department of Public Health for Approval for potable supply well (water quality and well yield test approval).

GEO.11 Other items:		

Coastal Engineering Submittal Document Guide for Over-The-Counter, Administrative Plan Review, and Coastal Development Permits

This Submittal Document Guide is to provide you with document requirements for documents typically required for an Over-The-Counter, Administrative Plan Review, and Coastal Development Permit applications. This list is not comprehensive and does not contain document requirements for all City Departments. Contact individual City Departments for document requirements (<u>list of agency contacts</u>).

Submittal Format

A CD or thumbdrive, which will not be returned, of all submittal materials is required with the exception of the Uniform Application and Submittal Checklist. All documents should be saved as Adobe PDFs. Each document shall be saved as a separate PDF.

In addition to a digital version, project plans shall be submitted in **24" x 36" size** hardcopy sets dimensioned to $\frac{1}{4}$ " = 1' or $\frac{1}{8}$ " = 1' scale and collated stapled and folded. For the PDF version, plans shall be grouped and named by discipline (e.g. architectural, grading, civil, etc.).

Documents Descriptions

- CO.1 **Project Plans** (see Project Plans under Project Plan Requirements)
- CO.2 **Grading Plans** (see Grading, Drainage, Erosion and Storm Water Management Plan under Project Plan Requirements)
- CO.3 Landscape/Hardscape/Irrigation Plans (see Landscape Plan and Landscape Water Conservation Ordinance Document Package under Biological / Landscape Requirements)
- CO.4 Coastal Engineering Report (Beachfront Property Only): A Wave Uprush Report by a Coastal Engineer shall be submitted as to necessity of a bulkhead/seawall, and the location and design of any existing, or proposed bulkhead/seawall, meant to protect any existing, or new onsite wastewater treatment system. The report must describe the design beach profile and beach scour line subject to significant storm events. Provide a cross section drawn to scale with a precise datum reference showing the design beach profile and the proposed location for a structural protection device. The beach scour line shall be clearly labeled to facilitate development of an integrated cross section drawing showing geologic units and the anticipated path of effluent (fill, bedrock, beach sand). A copy of the report shall be submitted to the City of Malibu Coastal Engineering reviewer and other City agencies as needed. Please note only original "wet signature" documents are acceptable.
- CO.5 **Geotechnical Report:** All reports must conform to the City of Malibu's current Geotechnical Guidelines and Building Codes. The current guidelines may be viewed on the City's website at: https://www.malibucity.org/documentcenter/view/215
- CO.6 **OWTS Plot Plan (11x17):** Submit an onsite wastewater treatment system (OWTS) plot plan showing all existing improvements, proposed improvements, property lines, and the existing OWTS (including the designated future expansion disposal area). The building sewer and all points of connection between habitable structures and the existing septic system(s) must be shown on the OWTS plot plan. The plot plan must be drawn to scale. The OWTS plot plan must demonstrate conformance with the minimum requirements of the City of Malibu Plumbing Code, i.e. Title 28 of the Los Angeles County Code, incorporating the California Plumbing Code, latest Edition, with City of Malibu local amendments (Malibu Municipal Code Section 15.12; hereinafter MPC), and the City of Malibu Local Coastal Plan/Local Implementation Plan (LCP/LIP). At least one copy of the plot plan showing essential features of the OWTS must fit on an 11" x 17" sheet leaving a 5" left margin in clear.
- CO.7 **OWTS Design Report:** A preliminary design report and plan drawings shall be submitted so as to demonstrate the feasibility of the proposed project with respect to conformance with the MPC and LCP/LIP. The preliminary design drawings and calculations must be signed and stamped (where applicable) by a California-registered Civil Engineer, a Registered Environmental Health Specialist, or a Professional Geologist who is responsible for the design, and is a registered practitioner with the City of Malibu. For a list of OWTS Registered Design Practitioners go to, https://www.malibucity.org/DocumentCenter/View/599
- CO.8 **Soils Analysis / Percolation / Infiltration Report:** The location and construction dimensions of any proposed subsurface sewage effluent disposal system shall be based on a percolation/infiltration test report and/or

soils analysis report that are performed for the express purpose of providing information to be used for design of an onsite wastewater treatment system. Percolation or infiltration tests shall be conducted by a California Certified Engineering Geologist, a California Registered Civil Engineer, or a California Registered Environmental Health Specialist. Soils analysis shall be conducted by a California Registered Professional Geotechnical Engineer, and the results shall include descriptions of both texture (expressed in United States Department of Agriculture terminology) and structure in accordance with the United States Environmental Protection Agency (2002) Onsite Wastewater Treatment Systems Manual. All failed test locations must be described in the report. Please note only original "wet signature" documents are acceptable.

- CO.9 **OWTS Supporting Geology / Soils Report:** A report from the project geologist and/or soils engineer shall be submitted that conforms to Section 5.8 of the City's Geotechnical Guidelines, and contains the items listed below. The report must be performed for the express purpose of providing information to be used for design of an onsite wastewater treatment system. **Please note only original "wet signature" documents are acceptable.**
 - e. <u>Geology/Soils Description</u>. Provide an analysis as to the natural soils and/or rock material located at the proposed subsurface sewage effluent dispersal area(s). For natural soils, United States Department of Agriculture soil texture triangle terminology shall be used. For rock material, major geologic units and rock types shall be described. Provide a soil profile extending from the base of the effluent dispersal system (i.e., infiltrative surface) to either the groundwater depth, or to the depth of the design boundary for effluent migration, whichever is most restrictive. For leaching bed or drip dispersal systems, the soil profile shall be obtained from test pits/trenches (or borings) extending at least 5 feet below the base of the effluent dispersal system. Describe geological and hydrogeological conditions at all effluent dispersal system design boundaries (see USEPA 2002).
 - f. <u>Groundwater Statement</u>. The consultant shall state where (i.e., at what depth) in his/her professional opinion: (i) the annual average groundwater level is beneath the location of the effluent dispersal system and (ii) the seasonal high groundwater level is beneath the location of the effluent dispersal system. Any indication of historical high groundwater (i.e., soil mottling, etc.) shall be noted and considered. If groundwater is found during field exploration, then the consultant shall indicate where groundwater was found. The consultant shall also consider what effect, if any, the onsite wastewater dispersal system will have on groundwater (i.e., mounding, migration, daylighting, etc.) and describe the anticipated path of effluent in the subsurface.
 - g. Anticipated Path of Effluent. Geologic cross sections(s) of the most critical slope shall be provided which depict the proposed development, proposed wastewater treatment system, and anticipated paths of effluent. The project geologist and/or soils engineer shall provide sufficient geologic data to substantiate their conclusions regarding the effects of effluent on groundwater levels under the site, the potential for mounding of groundwater, and the potential for effluent to daylight on the ground surface. The supporting geologic discussion shall include interpretations of geologic structure, stratigraphy (specifically, lithologic changes across the site that could affect hydraulic conductivities across the site), and discontinuities such as fractures, faults, clay seams, and joint systems.
 - h. <u>Cap Depth Statement</u>. Provide a recommended cap depth for each proposed present and future seepage pit. The recommended cap depth shall be referenced to existing grade at the time the boreholes were logged and tested for percolation capacity.

<u>Stability Statement</u>. Addressing the current development proposal, the consultant shall unequivocally state whether the disposal of sewage effluent in the proposed subsurface dispersal areas on subject property will cause any instability either for the subject property or for any neighboring property.

CO.10 Architect/Engineer Certification for Reduction In Setbacks to Buildings or Structures: All proposed reductions in setback from the onsite wastewater treatment system to structures (i.e., setbacks less than those shown in Malibu Plumbing Code Table H 101.8) must be supported by a letter from the project Structural Engineer and a letter from the project Soils Engineer (i.e., a Geotechnical Engineer or Civil Engineer practicing in the area of soils engineering). Both engineers must certify unequivocally that the proposed reduction in setbacks from the treatment tank and effluent dispersal area will not adversely affect the structural integrity of the onsite wastewater treatment system, and will not adversely affect the structural integrity of the structures for which the Table H 101.8 setback is reduced.

All proposed reductions in setback from the onsite wastewater treatment system to <u>buildings</u> (i.e., setbacks less than those shown in Table H 101.8) also must be supported by a letter from the project Architect, who must certify unequivocally that the proposed reduction in setbacks will not produce a moisture intrusion problem for the proposed building(s). If the building designer is not a California licensed architect,

then the required Architect's certification may be supplied by an Engineer who is responsible for the building design with respect to mitigation of potential moisture intrusion from reduced setback to the wastewater system; in this case the Engineer must include in his letter an explicit statement of responsibility for mitigation of potential moisture intrusion. If any specific construction features are proposed as part of a moisture intrusion mitigation system in connection with the reduced setback(s), then the Architect (or Engineer) must provide associated construction documents for review and approval during Building Plan Check.

The wastewater plans and the construction plans must be specifically referenced in all certification letters. The construction plans for all structures and/or buildings with reduced setback must be approved by City of Malibu Building and Safety prior to Environmental Health final approval. The architectural and/or structural plans submitted for Building and Safety plan check must detail methods of construction that will compensate for the reduction in setback (e.g., waterproofing, concrete additives, etc.). For complex waterproofing installations, submittal of a separate waterproofing plan may be required. The architectural/structural/waterproofing plans must show the location of onsite wastewater treatment system components in relation to those structures from which the setback is reduced, and the plans must be signed and stamped by the architect, structural engineer, and geotechnical consultants (as applicable).

CO.11 Other items:			